



HOLE TABULATION

A	- 12 HOLES - $\frac{13}{64}$ Ø AT 5.00Ø
B	- 3 HOLES - $\frac{15}{64}$ Ø AT 4.375Ø
C	- 2 HOLES - $\frac{25}{64}$ Ø AT 4.375Ø
D	- 6 HOLES - $\frac{15}{64}$ Ø AT 5.25Ø
E	- 5 HOLES - $\frac{15}{64}$ Ø AT 4.50Ø
F	- 2 HOLES - $\frac{7}{64}$ Ø AT 5.25Ø
G	- 10 HOLES - 0.067Ø AT 5.375Ø
H	- 2 HOLES - 0.067Ø AT 5.0937Ø

MATERIAL:

0.12 THK G10 GLASS EPOXY

FINISH:

REVISIONS:

2. "C" HOLES WERE @ 5.25Ø
DEG 2/23/00
3. "G" & "H" HOLES WERE 0.058Ø
DEG 6/30/00
4. CHG H HOLES TO Ø0.067 AT
Ø5.0937 MJM 4/8/10

TOLERANCE UNLESS NOTED:

DECIMAL ± 0.005
FRACTIONAL $\pm 1/64$

SCALE: NTS

DRAWN: MJM DATE: 11/24/09

APPROVED: DATE:

TITLE:

G10 BOARD FOR
ROTATING RECTIFIER

DRAWING NO.

34-2442